



CALIFORNIA SPECIFIC

PRODUCT CATALOG

STEEL RAILING | ALUMINUM RAILING

TABLE OF CONTENTS

Fe²⁶

 A^{13}

ALUMINUM RAILING

STEEL RAILING Introduction Features & Benefits

Selection

Introduction Features & Benefits Selection 1 2 3

> 5 6 7



PRODUCTS THAT ENCLOSE. DESIGNS THAT LIBERATE.

There's a reason Fortress Railing Products is one of the strongest brands in the railing industry. From commercial, code-tested products to diverse residential styles, Fortress Railing Products is a category creator, with a complete line of railing solutions to turn your outdoor space into a living place. Our products feature thoughtful designs constructed with the strength of more than 40 years of innovation. There's a security that comes with having so many options at your fingertips, and that's because they're not just options—they're solutions. That's why Fortress Railing Products also offers unique customizations beyond railings, with a powerful selection of accessories to open up new options for your enclosure. So whether you're looking for aluminum, steel, or a different aesthetic entirely, you can feel secure that with Fortress, your imagination won't be boxed in.



SIMPLIFIED

www.FortressRailing.com

FEATURES & BENEFITS

- Pre-welded panels with patented bracket system
- FortressShield Coated utilizing advanced automotive coating process to resist rust and corrosion
- Many customizing options to choose from
- Use with wood, composite, vinyl or Fortress Steel Posts
- Quick and easy installation
- Fortress Fe²⁶ Panels are tested in accordance with IRC, ICC-ES[™] & AC273

PREMIUM FINISH

Fortress Fe²⁶ Steel Railing is available in three premium finishes engineered to withstand the elements.



SIMPLE ASSEMBLY EASY AS 1, 2, 3 FORTRESS




STEEL RAILING Fe²⁶ SELECTION SIMPLIFIED




Panels can be used with several types of posts such as steel, wood, vinyl or composite

LEVEL TRADITIONAL




ORNAMENTAL




32" (813mm) 34" (864mm) 40" (1016mm)

Actual 93.5" (2375mm) Ornament Panels available in Gloss Black only

VIFNNA



STAIR TRADITIONAL ADJUSTABLE



32" (813mm) 38" (965mm)





I-Support (Panel support optional)



GATES (Hinges, Locks and Latches are available) TRADITIONAL GATE



38″ (965mm)

32" (813mm)

34.5" (876mm)

GATE UPRIGHTS

(Make a gate)



Maximum Overall width 48″ (1219mm)



GATE KIT #2 (Works with Traditional Gate and Gate Uprights)



Hinge



Lock & Latch

www.FortressRailing.com

FEATURES & BENEFITS

- Pre-welded panels with patent pending bracket system
- Distinctly different from the traditional aluminum kits
- Tested in accordance with ICC-ES[™] & AC273
- Quick and easy installation
- 100% recyclable

CHOOSE

PANELS

• Superior performance in strength and safety

SIMPLE ASSEMBLY

• Use with wood, composite, vinyl or Fortress Aluminum Posts

PREMIUM FINISH

Fortress Al¹³ Aluminum Railing is available in three premium finishes engineered to withstand the elements.




ALUMINUM RAILING SELECTION SIMPLIFIED A 13



Panels can be used with several types of posts such as steel, wood, vinyl or composite

LEVEL

TRADITIONAL



6′ Actual 69" (1753mm) (2362mm) 32" (813mm) 38" (965mm)

8′ Actual 93"

STAIR

TRADITIONAL ADJUSTABLE

8′ Actual 90.5" (2299mm)

32" (813mm) 38" (965mm)

Support Block (Panel support optional)



GATES (Hinges, Locks and Latches are available) TRADITIONAL GATE




32″ (813mm) 38″ (965mm)

34.5" (876mm)

GATE UPRIGHTS

(Make a gate)



Maximum Overall width 48″ (1219mm)



Maximum overall width 48"

GATE KIT #2 (Works with Traditional Gate and Gate Uprights)



Hinge



Lock & Latch



STRENGTH YOU CAN LEAN ON

There's a reason Fortress Railing Products is one of the strongest brands in the railing industry. From commercial, code-tested products to diverse residential styles, Fortress Railing Products is a category creator, with a complete line of railing solutions to turn your outdoor space into an enjoyable living place.

Find a Fortress Dealer: www.FortressRailing.com

www.FortressRailing.com

58699000 8/19